



# **Neuron NPG3200Q Feature list**

**Version 2.7.1**



√ = available today

32 paths	√
16 paths	√
32 Frame synchronizers	√
16 Frame synchronizers	√
16 De-embedders	√
16 Embedders	√
16 Video listeners	√
16 normal Video talkers & 16 replicated (ST2022-7 compliant)	√
16 audio listeners	√
16 normal audio talkers & 16 replicated (ST2022-7 compliant)	√
Back-up switch on Carrier detect	√
Fast switch	√
512 channel audio matrix	√
Audio delay (100 ms/stream)	√
2160p50/59,94Hz four-wire SQD	√
1080p50/59,94Hz	√
1080i50/59,94Hz	√
720p50/59,94Hz	√
SD525	√
SD625	√
2160p50/59,94Hz four-wire SQD	√
1080p50/59,94Hz	√
1080i50/59,94Hz	√
720p50/59,94Hz	√
1x QSFP28 - 4x25G	√
ST2110-20	√
ST2110-30	√
ST2022-6	√
DNS	√
IGMPV2	√
IGMPV3	√
LLDP	√
DHCP	√
NMOS IS-04	√
NMOS IS-05	√
SDP	√
802.1as	√
ST2059-2	√
Reed Solomon/FireCode FEC	√



ACPv2	✓
16 extra lite channels (Opt_16Ch), FS, CC Only	✓
16 up/down/cross conversion (Opt_16UDC)	✓
SDI option board (Opt_SDI40)	✓
Audio gain, phase, delay and Mono shuffling (Opt_PR512)	✓
16 Color correctors/proc amp (Opt_16CC)	2x